In the Claims:

Please amend Claims 1, 4 and 5 as indicated below. The status of all pending claims is as follows:

 (Currently Amended) A tire/wheel assembly in which a run-flat support member formed of an annular shell and elastic rings is inserted into a cavity portion of a pneumatic tire mounted onto a rim, the annular shell having an arched cross-section, and the elastic rings being attached to bent ends of the annular shell inon an inner peripheral side of the annular shell,

wherein, while a plurality of notches are provided in the bent ends of the annular shell along a circumferential direction of the annular shell, a length Ln of the respective notches in the circumferential direction is set between 1.0 mm and 15.0 mm inclusive, and a ratio Ws/Wg of a width Ws (mm) of the respective bent ends of the annular shell to a thickness Wg (mm) of the respective elastic rings is set between 0.55 and 0.92 inclusive, and

further wherein the annular shell is formed of a metal material.

2. (Original) The tire/wheel assembly according to claim 1, wherein a ratio Ln/Lp of the length Ln (mm) of the respective notches in the circumferential direction to an alignment pitch Lp (mm) thereof in the circumferential direction is set between 0.07 and 0.30 inclusive, and a ratio Wn/Ws of a length Wn (mm) of the respective notches in a

direction orthogonal to the circumferential direction to the width Ws (mm) of the respective bent ends is set between 0.3 and 1.5 inclusive.

- 3. (Original) The tire/wheel assembly according to claim 2, wherein the ratio Ln/Lp of the length Ln (mm) of the respective notches in the circumferential direction to the alignment pitch Lp (mm) thereof in the circumferential direction is set between 0.09 and 0.25 inclusive, and a radius of curvature of each of connecting portions connecting the respective bent ends and sidewall surfaces of the annular shell is set between 4 mm and 10 mm inclusive.
- 4. (Currently Amended) The tire/wheel assembly according to any one of claims 1 to 3, wherein the annular shell is formed of athe metal material having has breaking strength not less than 600 MPa.
- (Currently Amended) The tire/wheel assembly according to claim
 wherein the annular shell is formed of a the metal material having has breaking strength not less than 800 MPa.